

| L Number | Hits | Search Text | DB | Time stamp |
|----------|--------|---|--------------------------------|------------------|
| 79 | 3 | (29/612,610.1,611,613,620).ccls. and (temperature adj sensor) and (laser adj (trimmed or trimming)) and resistance and substrate and (ohm or resistor) and ((temperature or resistance) near coefficient) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 19:54 |
| 80 | 1 | (219/121.69).ccls. and (temperature adj sensor) and (laser adj (trimmed or trimming)) and resistance and substrate and (ohm or resistor) and ((temperature or resistance) near coefficient) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 19:54 |
| - | 58249 | temperature adj sensor | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 13:40 |
| - | 7018 | (temperature adj sensor) and laser | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 13:42 |
| - | 3477 | (temperature adj sensor) and laser and resistance | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 13:43 |
| - | 549847 | (temperature adj sensor) and laser and resistance and substrate | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 13:43 |
| - | 1662 | (temperature adj sensor) and laser and resistance and substrate | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 14:41 |
| - | 0 | (planar adj temperature adj sensor) and laser and resistance and substrate | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 13:47 |
| - | 7 | planar adj temperature adj sensor | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 13:47 |
| - | 102 | (temperature adj sensor) and laser and resistance and substrate and (coefficient adj resistance) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 13:53 |
| - | 42 | (temperature adj sensor) and laser and resistance and substrate and (coefficient adj resistance) and ohm | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 13:53 |
| - | 42 | (temperature adj sensor) and laser and substrate and (coefficient adj resistance) and ohm | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 13:54 |
| - | 5 | ("4076608" "4547281" "4597850" "4657659" "5830339").PN. | USPAT | 2003/05/14 14:10 |
| - | 2 | ("4450065" "4505807").PN. | USPAT | 2003/05/14 14:14 |
| - | 12 | 4657659.URPN. | USPAT | 2003/05/14 14:14 |
| - | 883 | (temperature adj sensor) and laser and resistance and substrate and (ohm or resistor) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 14:42 |
| - | 499 | (temperature adj sensor) and laser and resistance and substrate and (ohm or resistor) and coefficient | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 14:43 |
| - | 200 | (temperature adj sensor) and laser and resistance and substrate and (ohm or resistor) and ((temperature or resistance) near coefficient) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 14:44 |
| - | 34 | (temperature adj sensor) and (laser adj (trimmed or trimming)) and resistance and substrate and (ohm or resistor) and ((temperature or resistance) near coefficient) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 14:44 |
| - | 40 | (method or process) and (temperature adj sensor) and laser and substrate and (coefficient adj resistance) and ohm | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 15:12 |
| - | 42 | (method or process or construct\$3 or assembl\$3 or manufactur\$3 or mak\$3 or produc\$3) and (temperature adj sensor) and laser and substrate and (coefficient adj resistance) and ohm | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 15:13 |

| | | | | |
|---|-------|---|--------------------------------|------------------|
| - | 8 | (method or process or construct\$3 or assembl\$3 or manufactur\$3 or mak\$3 or produc\$3) and (temperature adj sensor) and (laser adj trimm\$3) and substrate and (coefficient adj resistance) and ohm resistivity | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 15:48 |
| - | 70901 | | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 15:48 |
| - | 1295 | resistivity near ohm | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 15:48 |
| - | 80 | resistivity near ohm near centimeter | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 15:50 |
| - | 187 | resistivity near ohm near (centimeter or square) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 15:51 |
| - | 0 | resistivity near ohm near (centimeter near square) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 15:51 |
| - | 107 | resistivity near ohm near (square) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 16:10 |
| - | 0 | (resistivity near ohm near square) and (resistivity near ohm near centimeter) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 15:57 |
| - | 958 | (surface adj resistivity) and (volume adj resistivity) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 16:11 |
| - | 422 | (surface adj resistivity) with (volume adj resistivity) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 16:13 |
| - | 148 | (surface adj resistivity) near (volume adj resistivity) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 16:18 |
| - | 87 | ((surface adj resistivity) near (volume adj resistivity)) and (equation or formula) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 16:20 |
| - | 4 | ((surface adj resistivity) near (volume adj resistivity)) with (equation or formula) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 16:31 |
| - | 0 | (resistance near ohm near centimeter) and (resistivity near ohm near square) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 16:33 |
| - | 107 | resistivity near ohm near square | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 16:33 |
| - | 5 | resistance near ohm near centimeter | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 16:34 |
| - | 1 | 4907341.pn. | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 16:38 |
| - | 7 | (temperature adj sensor) and (laser adj trimming) and substrate and (coefficient adj resistance) and ohm | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 16:41 |
| - | 34 | (temperature adj sensor) and (laser adj (trimmed or trimming)) and resistance and substrate and (ohm or resistor) and ((temperature or resistance) near coefficient) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 16:42 |
| - | 11 | (temperature adj sensor) and (laser adj (trimmed or trimming)) and resistance and substrate and (ohm or resistor) and ((temperature or resistance) near coefficient) and (platinum or rhodium or titanium or palladium) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 18:15 |
| - | 9 | ("3601889" "3768157" "3947801" "4079349" "4104607" "4375056" "4464646" "4582976" "4626822").PN. | USPAT | 2003/05/14 17:08 |
| - | 10 | 4907341.URPN. | USPAT | 2003/05/14 18:39 |

| | | | | |
|---|-----|--|--------------------------------|------------------|
| - | 1 | 4907341.pn. and (heat\$3 or therm\$3 or fir\$3 or drying or dry or dried) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 18:39 |
| - | 0 | 4907341.PN. and (platinum or rhodium or titanium or palladium) | USPAT | 2003/05/14 18:45 |
| - | 594 | resistivity with (platinum or rhodium or titanium or palladium) with (nickel or gold or tungsten or silver) | USPAT | 2003/05/14 18:55 |
| - | 5 | (resistivity near value) with (platinum or rhodium or titanium or palladium) with (nickel or gold or tungsten or silver) | USPAT | 2003/05/14 18:49 |
| - | 23 | (resistivity near value) with tungsten | USPAT | 2003/05/14 18:51 |
| - | 31 | (resistivity near value) with titanium | USPAT | 2003/05/14 18:51 |
| - | 40 | (resistivity adj value) with (platinum or rhodium or titanium or palladium) | USPAT | 2003/05/14 18:57 |
| - | 11 | (resistivity adj value) with (platinum or rhodium or palladium) | USPAT | 2003/05/14 18:59 |
| - | 1 | (resistivity adj value) with (rhodium or palladium) | USPAT | 2003/05/14 18:59 |
| - | 1 | 4907341.pn. and substrate | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 19:24 |
| - | 10 | 4907341.URPN. | USPAT | 2003/05/14 19:35 |
| - | 1 | 29/612.ccls. and (temperature adj sensor) and (laser adj (trimmed or trimming)) and resistance and substrate and (ohm or resistor) and ((temperature or resistance) near coefficient) and (platinum or rhodium or titanium or palladium) | USPAT; US-PGPUB; IBM_TDB | 2003/05/14 19:41 |